

IW-R200-02N

Open-Bay 2U Short Depth Server Chassis

Server



Features & Benefits

- Compliance for AMD EPYC family
- 2U rackmount supports ATX motherboard
- Supporting external 5.25" x 2 and internal 3.5" HDD x 4
 - Supports 80 x 25mm cooling fans x 2
- Compatible with single PSU 500W, redundant 500W or CRPS 550W/800W
 - Expandable storage option with InWin storage kit
- Supporting 7 low-profile cards or optional full-height PCI slots x 3 with rear PCI card holder




IW-R200-02N

Open-Bay 2U Short Depth Server Chassis

Server

Specifications

Industry Standard	EIA-RS310D
M/B Form Factor	ATX (12" x 9.6")
Drive Bay	• External: 5.25" x 2 • Internal: 3.5" x 4
Power Supply	Supports: • Form factor: Single, 2U Redundant, CRPS • Watt: single 500W, 2U Redundant 550W, CRPS 550W / 800W
Indicator	Power status, HDD, LAN activity LEDs
Front Control Panel	Power switch, system reset, USB 2.0 x 2
Chassis Security	Intrusion switch (optional)
Cooling Fan	• 80 x 25mm PWM front fan x 1 • 80 x 25mm PWM rear fan x 1
Expansion Slot	Low profile PCI slot x 7 or full-height PCI slot x 3 (via riser card)
Material	• Material: SGCC • Thickness: 1.2mm
Rail Kit	Supports 28" tool-less & ball-bearing slide rails
Product Dimensions (DxWxH; Chassis Only)	504 x 432.4 x 88mm (19.84" x 17.02" x 3.46")
Package Dimensions (DxWxH)	682 x 563 x 204mm
Weight (Chassis Only)	• Net weight: 7.18kg • Gross weight: 10.12kg
Cubic Feet	2.77
Container Information	Single packing with pallets: • 20': 270pcs • 40': 540pcs • 40' HQ: 600pcs



IW-R200-02N

Open-Bay 2U Short Depth Server Chassis

Server

Optional Items

Item	Part Number	Description	Support
Slide Rail	3RAMIS032202	20" friction slide rail	1
Slide Rail	3RAMIS129500	28" tool-less & ball-bearing slide rails (weight capacity 35kg)	1
Power Supply	3RAMAP025400	1U Single 500W, 80 Plus Gold	1
Power Supply	2RAKAP002000	CRPS 550W, 80 Plus Platinum	1
Power Supply	2RAKAP002100	CRPS 800W, 80 Plus Platinum	1
Power Supply	3RAMAP019900	2U 1+1 Redundant 500W, 80 Plus Silver	1
Fan	3RAMFB008602	80 x 25mm, PWM, 4500RPM	2
Others	2RAKID028200	IW-SK23-02, 3.5" hot-swap HDD x 3, SATA III/SAS 6Gb	1
Others	2RAKPD046403	Front I/O USB 3.0 module	1
Others	3RAMRW011300	Intrusion switch / 800mm	1
Others	2RAKIH012700	Full-height PCI slot x 3 with rear PCI card holder	1

* The actual product is subject to change without prior notice. In Win Development Inc. reserves the right to make any final modifications.

* The above image is for reference only. All hardware components and optional parts are not included.